

**上海连成(集团)有限公司**

**SHANGHAI LIANCHENG (GROUP) CO.,LTD.**

地址: 上海市江桥曹安公路3616-3618号

邮编: 201812

总机: (021)59138888

传真: (021)59136782

800免费咨询电话: 800-820-5009

Address:3616-3618 Cao'an Road, Jiangqiao Shanghai

P.C.: 201812

Switchboard: (021) 59138888

Fax: (021) 59136782

800 Free consultation Tel:800-820-5009

[www.lcpumps.com](http://www.lcpumps.com)

[webmaster@lcpumps.com](mailto:webmaster@lcpumps.com)

**IMAGE  
OF LIANCHENG**

映像连成







上海连成(集团)有限公司, 是一家国内著名的研究制造泵、阀和流体输送系统、电气控制系统和环保设备的多元化经营的大型集团企业。

经过十多年的发展, 现已拥有五大工业园区, 分布于上海、江苏和浙江等经济发达地区, 总占地面积达55万平方米, 总部设在上海封浜工业园区。旗下拥有上海连成泵业制造有限公司、上海连成电机有限公司、上海连成阀门有限公司、上海连成集团物流有限公司、上海连成集团通用设备安装工程、上海阿美泰克工业设备有限公司、上海连成集团环境工程设备有限公司、上海连成集团苏州股份有限公司等多家全资子公司及控股公司, 注册资金达5.8亿元以上, 总资产达数十亿元。产品品种现已达三千多种, 涵盖水泵、电机、电气柜、阀门、成套设备、机械配件等系列, 其产品性价比高, 质量可靠, 广泛应用于市政、水利、建筑、消防、电力、环保、石油、化工、矿业、医药等领域。集团销售业绩每年均为行业前茅。

集团公司目前拥有大型水泵测试中心、三坐标测量仪、动静平衡测量仪、激光快速成型仪、多功能抛丸机、自动氩弧焊机、大型立车、大型磨床、数控机床集群等各种国内外先进的生产检测设备2000台套以上。现有员工4500余人, 大中专生占72.6%, 其中中级职称者475人、高级职称者78人、国家级专家19人、教授6人。每年都投入大量资金用于技术创新、产品开发和设备引进, 持有国家专利技术近达600余项, 每年均参与大量的国家及行业标准起草及编写工作, 涉及水利、化工、消防、城市供水等领域的产品及技术标准累计达数十部。集团建有完善的销售服务网络, 设有30余家分公司及200多个分支机构, 拥有一支2800多人的专业销售服务队伍, 为广大客户提供专业的技术支持与优良的营销服务。

集团通过了ISO9001、ISO14001、OHSAS18001等国际管理体系认证, 全面推行ERP信息化管理; 先后获得国家和行业颁发的工业、消防、煤矿、石油化工等重要领域的工业产品生产许可证、CCC中国国家强制性产品认证、CQC产品认证、CE认证、卫生许可批件、MA煤安认证、SMA计量合格认证、节能认证、节水认证、采用国际标准认证、进出口企业资格等生产经营资质; 并获得了“国家级创新型企业”、“中国驰名商标”、“上海市著名商标”、“上海市名牌产品”、“中国著名品牌”、“大型企业”、“国家首批水泵节能认证通过企业”、“上海市高新技术企业”、上海“市级企业技术中心”、“上海市知识产权示范企业”、“上海市民营制造业50强”、“上海市百强工业企业”、“国家标准起草单位”、“中国水工业十大民族品牌”等众多多的社会荣誉。

随着连成集团的永续经营, 连成产品得到了用户广泛认可, 目前拥有: 国家体育场“鸟巢”、国家大剧院、上海世博工程、首都机场、广州白云机场、上海地铁、西安地铁、沈阳地铁、香港供水工程深圳沙湾泵站、澳门供水工程珠海平岗泵站、黄河灌溉山西夹马口泵站、山西省西范泵站、广东云安六都泵站、黄河小浪底水利工程、宁夏扬黄灌溉工程、鄂尔多斯城市饮水工程、秦山核电、岭澳核电、国电集团、大唐电厂、华能电厂、宝钢、首钢、唐钢、太钢、鞍钢、新疆八一钢铁、大庆油田、青海盐湖钾盐项目、山西焦化、潞安矿业、陕西咸阳化工、中海油惠州炼油项目、清华大学、海尔集团和安哥拉农业排灌工程、缅甸国家农业灌溉项目, 以及核电、火电、水电、钢铁、油田、焦化、矿业、化工、炼油等一大批国内、外样板工程。在通用、拜耳、西门子、大众、可口可乐等国际知名企业在中国的工程均采用了连成集团的产品。

连成集团矢志于打造世界级流体处理工业企业, 秉承永远珍惜人与自然和谐关系、为提高人类生活质量不懈努力的宗旨, 为实现“百年连成”远大目标, 一直致力于环保型、节能型产品的研发与制造, 为民族企业的振兴与发展不懈努力!

水, 因连成至高致远……!

Shanghai Liancheng (Group) Co., Ltd is a domestic well-known large group enterprise and its multiple operations cover the research and production of pumps, valves and fluid transportation systems, electric control systems and environmental protection equipments.

After ten years development, the group holds five industrial parks in Shanghai, Jiangsu and Zhejiang etc. areas where the economy has been greatly developed, covering a total land area of 550 thousand square meters. Its headquarters is located at Fengbang Industrial Park and under it there are several wholly owned subsidiaries and holding companies: Shanghai Liancheng Pump Manufacturing Co. Ltd, Shanghai Liancheng Motor Co. Ltd, Shanghai Liancheng Valve Co. Ltd, Shanghai Liancheng Group Logistics Co. Ltd, Shanghai Liancheng Group General Equipment Installation Engineering, Shanghai Ametek Industrial Equipment Co. Ltd, Shanghai Liancheng Group Environment Engineering Equipment Co. Ltd and Shanghai Liancheng Group Suzhou Co. Ltd, with the registered capital up to 5.38 billion CNY, the total capital up to tens of billion CNY and the product categories up to more than 3000, ranging from water pump, motor, electric cabinet, valve, completed equipment, mechanical accessories etc. series, and, because of the reasonable performance-price and reliable quality, broadly used in the fields of municipal works, water conservancy, architecture, fire-fighting, electric power, environmental protection, petroleum, chemical industry, mining and medicine. The sales incoming of this group ranks first in the industry every year.

The group company now holds a large pump test center, a three-coordinate measurer, a dynamic-static measurer, a quick laser shaping instrument, a multi-functional shot-blasting machine, an automatic argon-arc welder, a large lathe, a large mill, numeral control machine tools etc. more than 2000 sets of various nationwide and world wide advanced production and detection facilities and over 4500 staff members, of which 72.6% are graduated from colleges and technical schools, 475 hold a junior title, 78 senior, 19 national experts and 6 professors. Every year this group puts a number of capital for technical innovation, product development and equipment import and, up till now, holds up to 600 national patent technologies and takes part in the draft-out and edition of both national and industrial standards, in total of tens of the product and technical standards covering water conservancy, chemical industry, fire-fighting, city water supply etc. fields. This group has set up a complete sales and service networks, comprised of 30 branches, more than 200 sub-organs and a group of 2800 special salesmen and servicemen, to provide the clients with special technical support and good business services.

Accredited to ISO9001, ISO14001, OHSAS18001 etc. international management system arrivals, this group is striving to implement ERP Information Management and has got the industrial production licenses in industry, fire-fighting, petrochemical, and mining etc. important fields issued by the state and the industry organization and the qualification as an I/E enterprise, been accredited to CCC, CQC product, CE, sanitation permit, MA mine safety, SMA gauging qualification, energy-saving, CCS, adoption of international standard etc. lots of approvals and awarded with the social honors such as: National-grade innovative brand-new enterprise, Chinese Famous Trademark, Shanghai Well-Known Trademark, Products of a famous brand of Shanghai, Famous brand of China A large enterprise, Enterprise in the first lot passing the pump energy-saving approval, A high-tech enterprise of Shanghai, Technical center of the enterprise in the city's level of Shanghai, An example enterprise for the intellectual property of Shanghai, One of the 50 powerful enterprises of Shanghai, One of the private technical enterprises of Shanghai, An enterprise qualified for the draft-out of the national standard, Ten national brands in the water industry of China and so on.

With the steady development of Liancheng Group, the products made therein have been greatly accepted by the users and now available with: the National Stadium Birdnest, the National Theatre, Shanghai Expo, the Capital Airport, Guangzhou Baiyun Airport, Shanghai Metro, Shenyang Metro, Xi'an Metro, Hongkong Water Supply Project Shenzhen Shawan Pump Station, Macao Water Supply Project Zhuhai Pinggang Pump Station, Huanghe River Irrigation Shanxi Jiamakou Pump Station, Shanxi Xifan Pump Station, Guangdong Yun'an Liudu Pump Station, Xiaolangdi Water Conservancy Project in Yellow River, Ningxia Yangguang Irrigation Engineering, E'erdusai City Drinking Project, Qinghai Salt Lake Sylvine Project, Qinshan Nuclear Power, Ling'ao Nuclear Power, National Power Group, Huaneng Power Plant, Datang Power Plant, Baoshan Steel, Capital Steel, Tai Steel, Anshan Steel, Xinjiang Bayi Steel, Daqing Oil Field, Shanxi Coking, Lu'an Mining Industry, Shanxi Xianyang Chemical Industry, China Marine Fuel Huizhou Refinery Project, Tsinghua University, Haier Group and Angola Agriculture Drainage and Irrigation Project, the national agricultural irrigation project of Burma, as well as nuclear power, thermal power, hydro-power, steel-iron, oil field, coking, mining, chemical, refinery, and in the projects set inside of China by GE, Bayer, Siemens, Volkswagen, Coca-cola etc. worldwide famous enterprises.

Liancheng Group has been trying its best to make itself a top fluid treatment enterprise in the world and follow such a concept as cherishing the harmony between human and nature forever and, to improve the people's living level and realize the great goal of a century-lasting Liancheng, making efforts for both development and manufacture of the environmental-protection and energy-saving products and for both promotion and progression of the national enterprises!

Water, flowing high and far to the utmost just because of Liancheng…….







■ Sewage treatment & environment protection

Liancheng company provides sewage treatment, landscape irrigation, water supply, water transfer, soil improvement or flood drainage.

● Services provided in the field of environment protection market

- Water supply, air-conditioning, warming circulation in quiet areas
- Water supply for fire control and showering
- Variable frequency operation
- Fountain control in residential area
- Drainage of sewage with fibres
- Sewage treatment and drainage



■ Municipal works, hydrology and electric power

Liancheng company provides irrigation, drainage, water supply, tap water engineering, dust remove of power station, condensate water, circulation water and water supply for boilers in the field of municipal works, hydrology and electric power.

● Scope of services provided for the market of municipal works, hydrology and electric power

- Water supply for cities
- Sewage drainage for cities
- Hydraulic irrigation for farming lands
- Hydraulic and electric facilities
- Auto-control
- Operation adjustment



■ Building

Liancheng company provides automatic building water supply and drainage, pressure-charging boiler water supply, no-back-pressure water supply, air-conditioning, fire control and other equipment.

● Services provided for architectural market

- Water supply for high-rise buildings
- Water cycling system for warm air-conditioning
- Constant-pressure water supply for fire fighting
- Living sewage drainage
- Soft start of equipment
- Variable frequency operation
- Auto-control




■ Petroleum, chemical industry, food, and medicine

In these fields, Liancheng provides well drilling, oil extracting, water infection, medical liquid, high and low temperature liquid and various medium fluid transportation.

● Services provided in petroleum, food, chemicals and medicine market

- Transportation of chemical stuff
- Transportation of drinks, wines and corrosive medium
- Transportation of inflammable and explosive liquid
- Transportation of light petroleum
- Auto-control
- Operation adjustment



■ Water supply for cities and towns

In the field of water supply for cities and towns, Liancheng company provides variable frequency and constant-pressure water supply, pressure boosting, water supply for boilers, water supply for fire fighting, and other general equipment.

● Services provided in the market of water supply for towns and cities

- High-pressure water supply
- Constant-pressure water supply for fire fighting
- Water cycling system for air-condition in warm air
- Frequency conversion operation
- Water facilities for municipal works



■ Farm land and hydraulic irrigation

In this field, Liancheng provides irrigation, water supply, water distribution, soil improvement or flood drainage.

● Services provided include

- Irrigation of water conservancy for farming lands
- Electric power facilities for water conservancy
- Flood drainage and drought water drawing
- Auto-control
- Operation adjustment





## 流程化 产品制造中心

BROTHER数控机床、镗床、拉床、立车、大型专业的测试中心，贯穿于产品的生产流水线之中，只有优良先进的生产设备才能制造精良的产品。

连成产品生产制造过程，尤其强调敬业精神，小到一颗螺丝钉，均一丝不苟、尽显专业素质。大量高素质的制造工程师，充分发挥其专业水准，对我们的产品精益求精，力求制造顾客满意的产品。

企业严格实施ISO9001质量管理体系，ISO14000，OHSAS18000等管理制度，科学合理的流水作业，保证了高质高效的生产运转。

## Streamlining product manufacture center

*BROTHER digit-control machine tools, borer, broacher, vertical lathe and large special test center run through the production flow line. Without excellent production equipments, there would not be excellent products.*

*The spirit of hard work is particularly presented in the production process here in Liancheng, even if a small screw, everything and every detail is made meticulously and shows the professional quality. Lots of qualified manufacturing engineers bring their professional level into full play and keep the product improved at any time, trying to provide the customers with satisfactory products.*

*Liancheng strictly follows ISO9001 quality control system, ISO14000, OHSAS18000 etc. management systems and the scientific and reasonable flow of operation, making sure of a high effective high quality production process.*





□ SLow1400-1280双吸泵测试现场  
SLOW1400-1280 double-suction pump test site

## 流程化产品制造中心

连成对各种原材料及配件均按照统一的标准采购，以达到产品零缺陷。此外，我们尤其注重与产业链上游企业的联动，我们牢牢把握性价比的原则，从而最大的降低产品生命周期内的一切使用成本。连成拥有国内先进的水泵测试中心，经权威机构认定：达到中国国家级测试水平。先进的检测设备和测试手段是保证产品质量的基础。质量是连成深受广大客户认同的重要因素，从产品设计、产品制造到成品检验，连成人始终以“提供高质量产品”为市场承诺的核心，服务于全球客户。



□ 封闭式测试中心  
Closed test center



□ 开放式测试中心  
Opened test center



□ SLow1200-1080双吸泵测试现场  
SLOW1200-1080 double-suction pump test site



□ 数字化测试  
Digitalized test



□ 大型轴流泵测试  
Large Qz axial pump test



□ 三级双吸泵叶轮动平衡测试  
Three impellers double-suction impeller dynamic balance test

## Streamlining product manufacture center

Liancheng purchases various raw materials and accessories by an uniform standard so as to have the product null defected and, in addition, has paid much attention to the linkage with the upstream enterprises in the industrial chain and the principle of performance-price ratio so as to lower the all cost used within the product life period to the utmost extent. Advanced detecting facilities and testing means leave an important basis for guaranteeing the product quality, while the quality leaves an important factor for Liancheng to be greatly favored by the clients. From the product design, manufacture to the finishes inspection, people of Liancheng always take "providing high quality products" as the core to the market commitment and serve for the global clients.



□ 脱硫泵测试现场  
desulfurizing pump test






我们为你提供以下各种系列、规格、型号的泵类产品  
The pump products of the following various series, specifications and models are available to provide.

- |                                      |   |
|--------------------------------------|---|
| <input type="checkbox"/> 单级单吸潜水泵系列   | <input type="checkbox"/> Single-stage pump series                                       |
| <input type="checkbox"/> 多级泵系列       | <input type="checkbox"/> Multi-stage pump series  |
| <input type="checkbox"/> 双吸泵系列       | <input type="checkbox"/> Double-suction pump series                                     |
| <input type="checkbox"/> 化工泵系列       | <input type="checkbox"/> Chemical industry pump series                                  |
| <input type="checkbox"/> 污水泵系列       | <input type="checkbox"/> Sewage pump series   |
| <input type="checkbox"/> 消防泵系列       | <input type="checkbox"/> Fire fighting pump series                                      |
| <input type="checkbox"/> 高温高压锅炉给水泵系列 | <input type="checkbox"/> High temperature high pressure boiler water supply pump series |
| <input type="checkbox"/> 轴混流泵系列      | <input type="checkbox"/> Axial flow-mixing pump series                                  |








**SLS SERIES VERTICAL SINGLE-STAGE SINGLE-SUCTION CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ water supply and drainage for Industry&city
- ◇ water treatment system
- ◇ air-condition & warm circulation

◆ **SPECIFICATION**

- ◇ Q: 1.5-2400m<sup>3</sup>/h
- ◇ T: -20℃~120℃
- ◇ H: 8-150m
- ◇ p: max 16bar




**SLO(W) SERIES SINGLE-STAGE DOUBLE-SUCTION SPLIT CASING CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ waterworks
- ◇ circulation water for air-condition
- ◇ water supply for industry and building
- ◇ irrigation & drainage pumping station
- ◇ power station

◆ **SPECIFICATION**

- ◇ Q: 65-11600m<sup>3</sup>/h
- ◇ T: -20℃~105℃
- ◇ H: 7-200m
- ◇ p: max 25bar




**KTL, KTW SERIES SINGLE-STAGE SINGLE-SUCTION VERTICAL, HORIZONTAL AIR CONDITIONING CIRCULATION PUMP**

◆ **APPLICATION FILED**

- ◇ industry & agriculture
- ◇ water supply for city
- ◇ water transfer project

◆ **SPECIFICATION**

- ◇ Q: 50-1200m<sup>3</sup>/h
- ◇ T: -10℃~80℃
- ◇ H: 20-50m
- ◇ p: max 17bar




**DL SERIES VERTICAL MULTI-STAGE PUMP**

◆ **APPLICATION FILED**

- ◇ water supply for high building
- ◇ water supply for city town
- ◇ heat supply & warm circulation

◆ **SPECIFICATION**

- ◇ Q: 6-300m<sup>3</sup>/h
- ◇ T: -20℃~100℃
- ◇ H: 24-280m
- ◇ p: max 30bar




**GDL SERIES VERTICAL AND MULTI-STAGE PIPELINE CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ water supply for high building
- ◇ water supply for city town
- ◇ heat supply & warm circulation

◆ **SPECIFICATION**

- ◇ Q: 2-192m<sup>3</sup>/h
- ◇ T: -20℃~100℃
- ◇ H: 25-186m
- ◇ p: max 25bar



**SLG SERIES VERTICAL STAINLESS STEEL MULTI-STAGE PUMP**

◆ **APPLICATION FILED**

- ◇ water supply for civil building
- ◇ air-condition & warm circulation
- ◇ water treatment & reverse osmosis system
- ◇ food industry
- ◇ medical industry

◆ **SPECIFICATION**

- ◇ Q: 0.8-120m<sup>3</sup>/h
- ◇ T: -20℃~100℃
- ◇ H: 5.6-330m
- ◇ p: max 40bar




**SLW SERIES HORIZONTAL SINGLE-STAGE END-SUCTION CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ water supply and drainage for Industry&city
- ◇ water treatment system
- ◇ air-condition & warm circulation

◆ **SPECIFICATION**

- ◇ Q: 4-2400m<sup>3</sup>/h
- ◇ T: -20℃~120℃
- ◇ H: 8-150m
- ◇ p: max 16bar




**SLD SERIES HORIZONTAL MULTI-STAGE CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ water supply for high building
- ◇ water supply for city town
- ◇ heat supply & warm circulation
- ◇ mining & plant

◆ **SPECIFICATION**

- ◇ Q: 6.3-1100m<sup>3</sup>/h
- ◇ T: -20℃~80℃
- ◇ H: 22-1740 m
- ◇ p: max 200bar




**SLL SERIES VERTICAL SINGLE-STAGE SINGLE-SUCTION CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ industry & agriculture
- ◇ water supply for city
- ◇ water transfer project

◆ **SPECIFICATION**

- ◇ Q: 2800-21600 m<sup>3</sup>/h
- ◇ T: ≤50℃
- ◇ H: 17-70m
- ◇ p: max 10bar




**WL SERIES NON-BLOCK VERTICAL SEWAGE PUMP**

◆ **APPLICATION FILED**

- ◇ municipal engineering
- ◇ mining industry
- ◇ industrial architecture
- ◇ sewage treatment engineering

◆ **SPECIFICATION**

- ◇ Q: 10-6000m<sup>3</sup>/h
- ◇ T: 0℃~80℃
- ◇ H: 6-60m
- ◇ p: max 10bar




**DG SERIES MULTI-STAGE BOILER WATER FEED PUMP**

◆ **APPLICATION FILED**

- ◇ power plant
- ◇ mining
- ◇ architecture

◆ **SPECIFICATION**

- ◇ Q: 6.3-1100m<sup>3</sup>/h
- ◇ T: 0℃~170℃
- ◇ H: 75-2200m
- ◇ p: max 250bar




**LP(T) VERTICAL SEWAGE PUMP**

◆ **APPLICATION FILED**

- ◇ municipal engineering
- ◇ industry
- ◇ industrial architecture
- ◇ sewage treatment engineering

◆ **SPECIFICATION**

- ◇ Q: 15-3000m<sup>3</sup>/h
- ◇ T: 0℃~60℃
- ◇ H: 6-60m
- ◇ p: max 16bar



**MD WEARABLE SINGLE-SUCTION MULTI-STAGE MINING CENTRIFUGAL PUMP**

◆ **APPLICATION FILED**

- ◇ water supply for high building
- ◇ water supply for city town
- ◇ heat supply & warm circulation
- ◇ mining & plant

◆ **SPECIFICATION**

- ◇ Q: 25-1100m<sup>3</sup>/h
- ◇ T: -20℃~80℃
- ◇ H: 60-1740 m
- ◇ p: max 200bar




**Z(H)LB VERTICAL AXIAL (MIXED) PUMP**

◆ **APPLICATION FILED**

- ◇ industry & agriculture
- ◇ water supply for city
- ◇ mild sewage drainage
- ◇ water transfer project

◆ **SPECIFICATION**

- ◇ Q: 800-200000m<sup>3</sup>/h
- ◇ T: 0℃~50℃
- ◇ H: 1-30m




**LDTN SERIES CONDENSATE WATER PUMP**

◆ **APPLICATION FILED**

- ◇ heat power plant
- ◇ condensate water transport

◆ **SPECIFICATION**

- ◇ Q: 90-1700m<sup>3</sup>/h
- ◇ T: 0℃~80℃
- ◇ H: 48-326m




**QJB SUBMERSIBLE MIXER**

◆ **APPLICATION FILED**

- ◇ sewage treatment works

◆ **SPECIFICATION**

- ◇ P: 0.85-10kw
- ◇ n: 480-980r.p.m
- ◇ t: 0℃~40℃
- ◇ h: max 20m




**WQ SERIES NON-BLOCK SEWAGE PUMP**

◆ **APPLICATION FILED**

- ◇ municipal engineering
- ◇ industrial architecture
- ◇ hotel & hospital
- ◇ mining industry
- ◇ sewage treatment engineering

◆ **SPECIFICATION**

- ◇ Q: 10-6000m<sup>3</sup>/h
- ◇ T: 0℃~40℃
- ◇ H: 6-60m
- ◇ p: max 10bar




**YW SERIES UNDER-WATER SEWAGE PUMP**

◆ **APPLICATION FILED**

- ◇ municipal engineering
- ◇ hotel & hospital
- ◇ mining
- ◇ sewage treatment

◆ **SPECIFICATION**

- ◇ Q: 8-1500m<sup>3</sup>/h
- ◇ T: 0℃~50℃
- ◇ H: 6-60m
- ◇ p: max 10bar




**ZW SERIES SELF-SUCTION NON BLOCKING -UP SEWAGE PUMP**

◆ **APPLICATION FILED**

- ◇ municipal drainage engineering
- ◇ industrial drainage
- ◇ sewage treatment
- ◇ paper making
- ◇ food industry

◆ **SPECIFICATION**

- ◇ Q: 8-800m<sup>3</sup>/h
- ◇ T: 0℃~60℃
- ◇ H: 14-80m
- ◇ p: max 16bar



**QZ AND OH SERIES AXIAL- FLOW PUMP AND MIXED FLOW-PUMP**

◆ **APPLICATION FILED**


- ◇ industry & agriculture
- ◇ water supply for city
- ◇ mild sewage drainage
- ◇ water transfer project

◆ **SPECIFICATION**

- ◇ Q: 500-38000m<sup>3</sup>/h
- ◇ T: 0℃~40℃
- ◇ H: 4-21m
- ◇ p: max 10bar



## IH SERIES SINGLE-STAGE CHEMICAL PUMP



- ◆ APPLICATION FILED
  - ◇ petrochemical industry
  - ◇ refinery
  - ◇ paper mill
  - ◇ pulp
  - ◇ food & drink
- ◆ SPECIFICATION
  - ◇ Q: 6.3-400m<sup>3</sup>/h
  - ◇ T: -20℃~105℃
  - ◇ H: 5-125m
  - ◇ p: max 16bar

## SLFZ SERIES SEALESS SELF-CONTROL SELF-PRIMING PUMP



- ◆ APPLICATION FILED
  - ◇ water supply for city and industry
  - ◇ water treatment system
  - ◇ warm circulation & air condition
  - ◇ flammable explosive liquid transport
  - ◇ acid& alkali transport
- ◆ SPECIFICATION
  - ◇ Q: 0.75-6800m<sup>3</sup>/h
  - ◇ T: 0℃~ 40℃
  - ◇ H: 4-130m
  - ◇ p: max 16bar

## AY SERIES CENTRIFUGAL OIL PUMP



- ◆ APPLICATION FILED
  - ◇ petrochemical
  - ◇ chemical industry
  - ◇ power plant
  - ◇ refinery
- ◆ SPECIFICATION
  - ◇ Q: 6.3-600m<sup>3</sup>/h
  - ◇ T: -45℃~400℃
  - ◇ H: 33-356m
  - ◇ p: max 4MPa

## SLZA SERIES CHEMICAL PROCESSING PUMP




- ◆ APPLICATION FILED
  - ◇ petrochemical industry
  - ◇ environmental engineering
- ◆ SPECIFICATION
  - ◇ Q: 5-2400m<sup>3</sup>/h
  - ◇ T: -80℃~450℃
  - ◇ H: 14-300m
  - ◇ p: max 4.0MPa

## CQ SERIES MAGNET-DRIVING PUMP



- ◆ APPLICATION FILED
  - ◇ petrochemical
  - ◇ pharmacy
  - ◇ food industry
  - ◇ scientific institution
  - ◇ national defence
- ◆ SPECIFICATION
  - ◇ Q: 1-51m<sup>3</sup>/h
  - ◇ T: -20℃~100℃
  - ◇ H: 2-50m
  - ◇ p: max 16 bar

## SLNC NEW TYPE SINGLE-STAGE CENTRIFUGAL PUMP



- ◆ APPLICATION FILED
  - ◇ industry & agriculture
  - ◇ water supply for city
  - ◇ water transfer project
- ◆ SPECIFICATION
  - ◇ Q: 15-2000m<sup>3</sup>/h
  - ◇ T: -20℃~100℃
  - ◇ H: 10-140m
  - ◇ p: max 16 bar

## XBD-SLS SERIES SINGLE-STAGE SINGLE-SUCTION FIXED FIRE-FIGHTING PUMP



- ◆ APPLICATION FILED
  - ◇ fire-fighting system
  - ◇ municipal engineering
- ◆ SPECIFICATION
  - ◇ Q: 18-720m<sup>3</sup>/h
  - ◇ T: 0℃~80℃
  - ◇ P: 0.3-1.5MPa
  - ◇ P<sub>0</sub>: max 16 bar

## XBD-GDL SERIES MULTI-STAGE PIPELINE CENTRIFUGAL PUMP



- ◆ APPLICATION FILED
  - ◇ sprinkler system
  - ◇ high building fire-fighting system
- ◆ SPECIFICATION
  - ◇ Q: 3.6-180m<sup>3</sup>/h
  - ◇ T: 0℃~80℃
  - ◇ P: 0.3-2.5MPa
  - ◇ P<sub>0</sub>: max 30 bar

## CYZ SERIES AUTO-SUCTION CENTRIFUGAL OIL PUMP



- ◆ APPLICATION FILED
  - ◇ oil transport
  - ◇ acid & alkali transport
- ◆ SPECIFICATION
  - ◇ Q: 3.2-500m<sup>3</sup>/h
  - ◇ T: -20℃~80℃
  - ◇ H: 12-80m
  - ◇ p: max 12bar

## SLCZ SERIES STANDARD CHEMICAL PROCESSING PUMP



- ◆ APPLICATION FILED
  - ◇ petrochemical industry
  - ◇ environmental engineering
- ◆ SPECIFICATION
  - ◇ Q: 5-2400m<sup>3</sup>/h
  - ◇ T: -80℃~450℃
  - ◇ H: 14-300m
  - ◇ p: max 4.0MPa

## NW SERIES LOW PRESSURE WATER DRAINAGE PUMP



- ◆ APPLICATION FILED
  - ◇ power station
- ◆ SPECIFICATION
  - ◇ Q: 36-182m<sup>3</sup>/h
  - ◇ T: 0℃~130℃
  - ◇ H: 130-230 m

## SLDP SERIES SELF-BALANCED MULTI-STAGE CENTRIFUGAL PUMP



- ◆ APPLICATION FILED
  - ◇ industry & agriculture
  - ◇ water supply for city
  - ◇ water transfer project
- ◆ SPECIFICATION
  - ◇ Q: 85-1100m<sup>3</sup>/h
  - ◇ T: -20℃~80℃
  - ◇ H: 60-1740m
  - ◇ p: max 200bar

## XBD-DL SERIES VERTICAL MULTI-STAGE FIXED FIRE-FIGHTING PUMP



- ◆ APPLICATION FILED
  - ◇ sprinkler system
  - ◇ high building fire-fighting system
- ◆ SPECIFICATION
  - ◇ Q: 18-360m<sup>3</sup>/h
  - ◇ T: 0℃~80℃
  - ◇ P: 0.3-2.8MPa
  - ◇ P<sub>0</sub>: max 30 bar

## XBD-SLO(W) SERIES FIRE-FIGHTING PUMP



- ◆ APPLICATION FILED
  - ◇ sprinkler system
  - ◇ industry fire-fighting system
- ◆ SPECIFICATION
  - ◇ Q: 18-1152m<sup>3</sup>/h
  - ◇ T: 0℃~80℃
  - ◇ P: 0.3-2MPa
  - ◇ P<sub>0</sub>: max 25 bar

## XBC SERIES DIESEL FIRE-FIGHTING PUMP GROUP



- ◆ APPLICATION FILED
  - ◇ dock & storehouse & airport & shipping
  - ◇ petroleum & chemical & power station
  - ◇ liquid gas & textile
- ◆ SPECIFICATION
  - ◇ Q: 10-200L/S
  - ◇ T: normal temperature clear water
  - ◇ P: 0.3~2.5MPa

## ELASTIC SEAT SEALED GATE VALVE



- ◆ APPLICATION FILED
  - ◇ Water, sewage
- ◆ SPECIFICATION
  - ◇ DN: 40-800 mm
  - ◇ T: 0℃~80℃
  - ◇ PN: 1.0-1.6 mpa

## RUBBER DISC CHECK VALVE HC44X-16



- ◆ APPLICATION FILED
  - ◇ Water
- ◆ SPECIFICATION
  - ◇ DN: 50-600 mm
  - ◇ T: ≤80℃
  - ◇ PN: 1.6 mpa

## N TYPE CONDENSED WATER PUMP



- ◆ APPLICATION FILED
  - ◇ industry & agriculture
  - ◇ water supply for city
  - ◇ water transfer project
- ◆ SPECIFICATION
  - ◇ Q: 8-120m<sup>3</sup>/h
  - ◇ T: 0℃~120℃
  - ◇ H: 38-152m

## EMERGENT FIRE-FIGHTING AIR-PRESSURIZATION WATER SUPPLY EQUIPMENT



- ◆ APPLICATION FILED
  - ◇ fire-fighting
  - ◇ mining
  - ◇ water supply for remote areas
- ◆ SPECIFICATION
  - ◇ ambient temperature 5℃~40℃
  - ◇ relative humidity 20%~90%
  - ◇ liquid temperature 5℃~70℃
  - ◇ regulated flow 3~18m<sup>3</sup>/h
  - ◇ operating pressure max 1.6MPa
  - ◇ precision of pressure adjusting <±0.01MPa

## ZWL SERIES NON-SUCTION PRESSURE WATER SUPPLY EQUIPMENT



- ◆ APPLICATION FILED
  - ◇ water supply for city life
  - ◇ agricultural irrigation
  - ◇ sprinkling & musical fountain
- ◆ SPECIFICATION
  - ◇ ambient temperature 5℃~40℃
  - ◇ relative humidity ≤85%(20±5℃)
  - ◇ liquid temperature 5℃~70℃
  - ◇ service voltage 380V(+5%,-10%)

## LBP SERIES VARIABLE FREQUENCY CONTROL PANEL



- ◆ APPLICATION FILED
  - ◇ civil water supply
  - ◇ fire-fighting
  - ◇ sewage treatment
  - ◇ pipeline system for oil transport
  - ◇ agricultural irrigation
  - ◇ musical fountain
- ◆ SPECIFICATION
  - ◇ ambient temperature -10℃~40℃
  - ◇ relative humidity 20%~90%
  - ◇ flow adjusting range 0-5000m<sup>3</sup>/h
  - ◇ control motor power 0.37-315kw

## BUTT-CLAMPED SOFT SEAL BUTTERFLY VALVES D371X



- ◆ APPLICATION FILED
  - ◇ Water, sewage
- ◆ SPECIFICATION
  - ◇ DN: 50-1200 mm
  - ◇ T: <80℃
  - ◇ PN: 1.0 mpa

## HC200X PILOT OPERATED ADJUSTABLE PRESSURE REDUCING VALVE



- ◆ APPLICATION FILED
  - ◇ Clean water
- ◆ SPECIFICATION
  - ◇ DN: 50-350 mm
  - ◇ T: ≤80℃
  - ◇ PN: 1.0-2.5 mpa

## AY SERIES CENTRIFUGAL OIL PUMP



- ◆ APPLICATION FILED
  - ◇ industry & agriculture
  - ◇ water supply for city
  - ◇ water transfer project
- ◆ SPECIFICATION
  - ◇ Q: 6.3-600m<sup>3</sup>/h
  - ◇ T: -45℃~400℃
  - ◇ H: 33-356m
  - ◇ p: max 4.0MPa





连成发展至今，以其过硬的专业素质和勇于创新的精神得到了同行业及广大客户的认可与信赖，并取得了多项荣誉，是同行业中较早通过ISO9001国际质量体系认证的企业。



每一份荣誉，都见证连成昔日之辉煌与预示未来之灿烂……  
*Every honor witnesses Liancheng's past glory and future's success.....*

*Liancheng won the field and the clients' recognition and trust with outstanding professional quality and creative spirit. It is also awarded a lot of honors and is one of the earliest enterprises who passed the authentication of ISO9001 International Quality System.*



每一份荣誉，都凝聚着连成人的智慧和专业人士之认可……  
*Every honor exhibits Liancheng people's wisdom and the recognition of professionals.....*





↑ 四川峨胜水泥 Sichuan Esheng Cement



↑ 云南中盐集团 Yunnan Zhongyan Group  
 (200SLD280-43X8,3台)  
 (150SLD155-67X5,2台)



↑ 河北峰峰集团薛村矿电厂 (SLOW 200-530(I)AT,4台)  
 Hebei Fengfeng Group Xue Village Mineral Power Plant



↑ 云南富瑞化工 Yunnan Furui Chemical Industry  
 (SLOW 400-550(I),4台、SLOW 350-520A,5台)



↑ 江苏波林化工 Jiangsu Bolin Chemical Industry  
 (SLOW、SLOW500-650(I),3台)



↑ 宁夏华庆集团 Ningxia Huaqing Group  
 (SLOW,5台)



↑ 陕西府谷电厂 Shanxi Fugu Power Plant  
 (SLTL600-24)

- TCL王牌电器  
TCL electric appliance
- ABB变压器有限公司  
ABB transformer Co. Ltd
- 中国石油化工股份有限公司  
China Petrochemical Stock Co. Ltd
- 山东东阿阿胶集团有限公司  
Shandong Dong' a Colla Corii Asini Group Co. Ltd
- 中国第一汽车集团公司  
China No.1 Automobile Group Corp.
- 西门子数控  
Siemens Digital-Control
- 秦山第三核电有限公司  
Qinshan No.3 Nuclear Power Co. Ltd
- 中国石油天然气股份有限公司  
China Petroleum & Natural Gas Co. Ltd
- 佳木斯发电厂  
Jiamusi Generating Plant
- 大庆油田JVC  
Daqing Oil Field JVC
- JVC日本电子有限公司  
JVC Japan Electron Co. Ltd
- 大庆热力公司  
Daqing Thermal Power Company
- 武钢集团  
Wuhan Steel Group
- 青岛奥珂玛集团  
Qingdao Aokma Group
- 华北制药集团  
Northern-China Pharmacy Group
- 雷允上药业有限公司  
Leiyunshang Medicine Co. Ltd
- 罗氏制药集团  
Luo' s Pharmacy Group
- 邯郸钢铁集团  
Handan Steel-Iron Group
- 首都钢铁集团工业企业  
Capital Steel-iron Group Industrial Enterprise



↑ 辽宁鞍钢 Liaoning Anshan Steel  
 (SLOW400-500(I),2台、SLOW,11台)



↑ 新疆八一钢铁 Xinjiang Bayi Steel-Iron  
 (SLOW500-650,3台、SLOW,4台)



↑ 大连盛逸大化 Dalian Shenyida Chemical Industry  
 (XBC-SLOW250-610(I)TC,2台)  
 (XBC-SLOW250-610(I)T,3台)



↑ 大庆八一农大 Daqing Bayi Agricultural University



↑ 山东淄博宏达电厂 Shandong Zibo Hongda Power Plant  
 (2DG-10,4台)